Shandong Tengxin Seal Co., Ltd.

Full Range of Security Seals Solutions

Shandong Tengxin Seal Co., Ltd.

Full Range of Security Seals Solutions

Contents

Heavy-Duty Bolt Seal	01/02
Cable Seal	03/06
Plastic Seal	07/10
Meter seal	11/12
Plastic Padlock Seal	13
Metal Seal	14

TX-BS201 Heavy-Duty Bolt Seal

Anti-spin; ISO 17712 & C-TPAT Compliant; "H" certified



Specification

Material:	Q235A Steel, ABS wrapped, PC covered
Strength:	>15 KN
Imprinting:	Laser engraving/ Hot stamping
Marks:	Numbering, logo, barcode
Color:	Yellow/ Red/ Green/ Blue/ Purple etc.

Easy to Apply

Simple, no tool application, break attached shaft and cap and click the two pieces together to lock.

Removal by bolt cutter, and eyes protection is necessary.

Packing

10 pcs/ box

25 boxes/ carton

Carton Dimension: 49 × 32 × 15 cm

Weight

1 pc net weight: 65 g

10 pcs in a box: 655 g

250 pcs in a carton: 17 kg

SHANDONG TENGXIN SEAL CO., LTD txsy01@tengxinsy.com

TX-BS101
Dia.: 7mm Height: 79mmx33.5mm

TX-BS102
Dia.: 8mm Height: 85mmx34mm

TX-BS103
Dia.: 8mm Height: 81mmx34mm

TX-BS104
Dia.: 8mm Height: 86mmx33mm

TX-BS201
Dia.: 8mm Height: 86mmx34mm

TX-BS202
Dia.: 8mm Height: 72mmx34mm

TX-BS203
Dia.: 8mm Height: 76.5mmx34mm

TX-BS301
Dia.: 8mm Height: 85mmx33.5mm

TX-BS302
Dia.: 8mm Height: 76mmx34mm

TX-BS303
Dia.: 7mm Height: 83mmx28mm

TX-BS304
Dia.: 8mm Height: 76mmx35mm

TX-BS305
Dia.: 8mm Height: 86mmx36mm

TX-BS306
Dia.: 8mm Height: 86mmx33mm

TX-BS401
Dia:8mm Height: 72mmx35mm

TX-BS403
Dia.: 8mm Height: 74mmx35mm

TX-BS405
Dia.: 8mm Height: 74mmx37mm

TX-CS102 Cable Seal

Tamper evident, Aluminum head, Heavy duty steel cable



Specification

Material: Aluminum head, heavy−duty steel.
Cable size : Diameter 1.8mm, Length 25cm (Standard).
Diameter & length as per custom ordered.
Color: Blue/ green/ yellow/ others
Imprinting: Laser−Etch
Custom ordered: Bar code, Numbering
Strength: >3.5 KN

Applications

Railway cars, truck trailers,containers, international freight, valve lockout

Easy to apply

Simple, lock by hand.

Removal by heavy duty cable cutter

Packing:

100 pcs /plastic bag
1000 pcs /carton
Carton dimension: 39x38x11cm

Weight

1 pc net weight: 17.3 g
1000 pcs in a carton: 18.5 kg

SHANDONG TENGXIN SEAL CO., LTD txsy01@tengxinsy.com

Aluminum Cable Seal

TX-CS101
Φ: 1.5mm L: 200mm



TX-CS102
Φ: 1.8mm L: 200mm



TX-CS103
Φ: 4.0mm L: 200mm



TX-CS104
Φ: 1.5mm L: 200mm



TX-CS105
Φ: 5.0mm L: 200mm



TX-CS106
Φ: 1.5mm L: 200mm



TX-CS107
Φ: 1.5mm L: 200mm
Φ: 2.5mm L: 200mm

TX-CS108
Φ: 3.0mm L: 200mm

ABS Wrapped Cable Seal



TX-CS201
Φ: 1.8mm L: 200mm



TX-CS202
Φ: 1.8mm L: 200mm

TX-CS203
Φ: 1.8mm L: 200mm



TX-CS204
Φ: 1.8mm L: 200mm



TX-CS205
Φ: 1.8mm L: 200mm



TX-CS206
Φ: 1.0mm L: 200mm



TX-CS301
Φ: 1.8mm L: 200mm



TX-CS302
Φ: 1.0mm L: 200mm



TX-CS305
Φ: 1.8mm L: 350mm

TX-CS306
Φ: 1.5mm L: 250mm

TX-CS401
Φ: 1.8mm L: 200mm



TX-CS402
Φ: 1.8mm L: 200mm

TX-CS403
Φ: 1.8mm L: 200mm

Zinc Alloy Cable Seal

TX-CS303
Φ: 2.5mm L: 200mm

TX-CS304
Φ: 1.8mm L: 200mm

TX-CS307
Φ: 1.8mm L: 200mm



TX-CS308
Φ: 1.0mm L: 200mm



TX-CS309
Φ: 4.0mm L: 350mm

RFID

TX-CS501
Φ: 1.8mm L: 200mm



TX-CS502
Φ: 1.8mm L: 200mm

TX-PS501 Adjustable Length Plastic Seal

Metal inserted; ISO 9001 Certified; Strong tensile strength





Specification

Material:	PP & PE; stainless steel pin
Strength:	>300N
Imprinting:	Laser engraving/ Hot stamping
Marks:	Numbering, logo, bar code
Color:	Yellow/ Red/ Green/ Blue/ Purple etc.

Easy to apply

Easily applied by hand. Thread strap through closure and into locking chamber.

Pull seal up as far as possible.

Removal by cutting tool.

Packing:

100 pcs/ bag

25 bags/ carton

Carton Dimension: 58×43×44 cm

Weight

1 pc net weight: 5.84 g

100 pcs in a bag: 600 g

2500pcs in a carton: 16.5 kg

SHANDONG TENGXIN SEAL CO., LTD txsy01@tengxinsy.com

Metal Inserted Plastic Seal

TX-PS101
Tag size: 100x58mm L: 250mm



TX-PS102
Tag size: 96x30mm L: 450mm

TX-PS103
Tag size: 48x20mm
L: 300/400/500/700mm



TX-PS105
Tag size: 50x22mm L: 400mm



TX-PS107
Tag size: 85x25mm L: 300/400mm

TX-PS109
Tag size: 105x30mm L: 500mm

TX-PS110
Tag size: 60x13.5mm L: 280mm

TX-PS405
Tag size: 45x18mm L: 145mm



TX-PS501
Tag size: 70x25mm L: 300/400mm

TX-PS503
Tag size: 65x25mm L: 400mm

TX-PS601
Tag size: 65x25mm L: 400mm

One-step Molding Plastic Seal

TX-PS201
Tag size: 95x45mm L: 400mm

TX-PS202
Tag size: 45x20mm L: 335mm

TX-PS203
Tag size: 65x50mm L: 370mm



TX-PS205
Tag size: 55x22mm L: 400mm

TX-PS206
Tag size: 100x25mm L: 370mm

TX-PS207
Tag size: 60x25mm L: 400mm



TX-PS208
Tag size: 45x26mm L: 350mm

TX-PS210
Tag size: 50x30mm L: 315mm

TX-PS211
Tag size: 50x25mm L: 450mm

TX-PS212
Tag size: 48x19mm L: 340mm

TX-PS213
Tag size: 39x19mm L: 255mm

TX-PS214
Tag size: 145x25mm L: 465mm

TX-PS215
Tag size: 105x57mm L: 462mm

TX-PS301
Tag size: 145x25mm L: 465mm

Plastic Inserted Seal

TX-PS209
Tag size: 55x25mm L: 295mm

TX-PS302
Tag size: 87x25mm L: 273mm



TX-PS306
Tag size: 48x27mm L: 400/500mm

TX-PS403 L: 200mm



TX-PS404
Tag size: 40x20mm L: 190mm

Fixed Length Plastic Seal

TX-PS302
Tag size: 87x25mm L: 273mm

TX-PS403
L: 200mm



TX-PS406
L: 205mm

TX-MS104 Twist Tite Wire Seal

Tamper Evident - Quick & Easy Installation - Durable & Weather Resistant



Specification

Seal Material:	Polycarbonate for the outer clear body; ABS plastic for the insert part.
Wire Material:	Galvanized steel wire / Copper wire Nylon coated wire /Stainless steel wire
Wire Length:	150mm or others as per request
Color:	Red/ Blue/ Yellow or others
Printing:	Laser marking
Options:	Printing logo, name, numbering and barcode
Strength:	>40N

Easy to apply

Simple, no tools or assembly required

Pass the wire through the two holes in the outer part, and then turn the handle clockwise to achieve the perfect closure.

Removable by cable cutter

Packing:

100 pcs per polybag

50 polybags per carton

Carton Dimension: 73 x 35 x 23 cm

Weight

1pc net weight: 2g

100pcs in a polybag: 0.21kg

5000pcs in a carton: 11.5kg

SHANDONG TENGXIN SEAL CO., LTD txsy01@tengxinsy.com

TX-MS101

TX-MS102

TX-MS103

TX-MS104

TX-MS105

TX-MS106

TX-MS107


TX-MS202


TX-MS203


TX-MS204


TX-MS205


TX-MS206

TX-MS207

TX-MS301

TX-MS305

TX-PL101 Plastic Padlock Seal

Full Range of Security Seals Solutions

TX–PL104

TX–PL105

TX–PL301



TX–PL303

SHANDONG TENGXIN SEAL CO., LTD txsy01@tengxinsy.com

TX-PL303 Metal seal

Full Range of Security Seals Solutions

TX-PL306



TX-SS101



TX-SS102



SHANDONG TENGXIN SEAL CO., LTD txsy01@tengxinsy.com

Full Range of Security Seals Solutions !

Shandong Tengxin Seal Co., Ltd

Factory address: Economic development zone, Qingyun 253700, Dezhou, Shandong Province , P.R. China

Sales Office:No.84, CBD of Gaoxin District, Jinan city, Shandong Province, P.R. China

Tel： 0086-531-88288122

Cell : 0086-155 5317 8362

Web: www.tengxinseal.com

Email:txseal@tengxinsy.com